



The Head Office,
People's Primary Healthcare Initiative, Balochistan.
Admin Section
Reference No. PPHI-B/H.O BLN/2026/10/Fabrication/002
Dated: _____

Technical Proposal

People's Primary Healthcare Initiative (PPHI) - Balochistan

**Bidding Document for the Fabrication and Conversion of the following
Ambulances STD-ROOF Hiace Van (Unit-1) and 4x2 Single Cabin Pickup
(Unit-4), Model 2025 into Ambulances**

NAME OF BIDDER: _____
(To be filled-in by the Bidder)

Address: People's Primary Healthcare Initiative (PPHI) - Balochistan
House # 8-A, Jinnah Town Samungli Road, Quetta-Pakistan.

Phone: 081-2863620
Website: www.pphib.org

LETTER OF INVITATION FOR BIDS:

Sealed proposals are invited under the PPHI-Balochistan Procurement Rules from competitive and eligible firms, including manufacturers and vehicle fabricators, as well as their authorized distributors/agents, duly registered with relevant tax authorities, having established workshop facilities, requisite technical expertise, qualified manpower, and proven experience in vehicle fabrication, along with sufficient financial capacity, for fabrication of vehicles strictly in accordance with the prescribed specifications and scope of work.

REQUIRED BIDDING INFORMATION	TO BE FILLED BY THE PEOPLE'S PRIMARY HEALTHCARE INITIATIVE (PPHI-B)
DESIGNATION OF PROCUREMENT OFFICER	MANAGER ADMIN
POSTAL ADDRESS OF THE PEOPLES PRIMARY HEALTH CARE INITIATIVE (PPHI-BALOCHISTAN)	HOUSE # 8-A, JINNAH TOWN SAMUNGLI ROAD, QUETTA-PAKISTAN.
PHONE NUMBER & FAX NUMBER	081-2863620 & 081-2863623
E-MAIL ADDRESS & WEBSITE	PPHIBLN@GMAIL.COM https://www.pphib.org
METHOD OF PROCUREMENT	SINGLE STAGE - TWO ENVELOPE BIDDING PROCEDURE
ISSUANCE OF BIDDING DOCUMENTS	The tender documents can be downloaded from the PPHI-Balochistan website: http://pphib.org/
PRE-BID MEETING	DATE: 15th June 2026 AT 2:00PM, PPHI-B HEAD OFFICE, 8-A JINNAH TOWN, SAMSUNGLI ROAD, QUETTA. ALL COMPETITIVE BIDDERS ARE REQUESTED TO ATTEND THE PRE BID MEETING.
DEADLINE FOR SUBMISSION OF BIDS	Date: 29 June 2026 & Time 01:30 AM directly submitted to the Head Office, PPHI-Balochistan.
OPENING OF TECHNICAL BIDS	Date: 29 June 2026 & Time <u>02:00 AM</u> at the Head Office of PPHI-Balochistan.
OPENING OF FINANCIAL BIDS	Date: Shall be communicated to qualified bidders after Technical Evaluation.
BIDDING DOCUMENT FEE	AMOUNT: PKR. 2,000/- PAY ORDER IN THE NAME OF PPHI Balochistan WITH TECHNICAL BID IN SEPARATE ENVELOPE.
BID SECURITY/EARNEST MONEY	AMOUNT: <u>2 %</u> OF THE QUOTED AMOUNT IN MANNER OF PAYMENT: <u>CALL DEPOSIT/ PAY ORDER</u> IN FAVOR OF <u>PPHI-B BALOCHISTAN</u> , WITH FINANCIAL BID.

ELIGIBILITY CRITERIA FOR BIDDERS:

S. No.	Bidders Eligibility Factor	Mandatory Requirement	Document Required
1	Registration with Income Tax and BRA/GST	The bidder must possess a valid NTN Certificate and must be registered with the Federal Board of Revenue (FBR) and Balochistan Revenue Authority (BRA) / Sales Tax Authorities under the relevant tariff/registration category. The bidder must also be an Active Taxpayer at the time of submission of bid documents.	Copies of valid NTN Certificate, GST / BRA Registration Certificates, and Active Taxpayer Profile, duly verifiable from FBR IRIS and official FBR / BRA websites.
2	Relevant Experience	The bidder must have successfully completed at least three (03) comparable and similar assignments during the last three (03) years , each having a value not less than PKR 3.00 million , in relevant nature of work.	Copies of Work Orders along with Completion Certificates and/or Inspection Reports, clearly mentioning scope, value, and completion period, duly attested by the authorized representative of the firm. PPHI-Balochistan reserves the right to verify all submitted documents from issuing authorities.
3	Financial Capacity	Average Turn Over of PKR.7.5 Million or above for last three years (i.e. 2023, 2024 and 2025)	Audited <u>Financial statement</u> OR <u>Annual Tax Return</u> of FY 2023, 2024 and 2025.
4	Non-Blacklisting & disclosure of litigation	Must not be presently black-listed by any Government or other Organization	Declaration of Non-blacklisting & litigation cases on <u>Non-Judicial Stamp</u> paper by the Bidder.
5	Local presence	The Bidder must have functional, corporate and national level business anywhere in Pakistan.	Copy of <u>Tenancy agreement</u> or <u>ownership documents</u> of the office premises AND Copy of recently paid <u>utility Bill</u> (maximum 3 months old)
6	Warranty & After-Sales	As required by the PPHI-B in the Data-sheet (After sales services shall be provided at Quetta, Balochistan)	<u>Certificates of Warranty & After-Sales Services</u>
7	Delivery compliance time	Must agree to serve the Contract within 45 days after award of contract	Completion time must be <u>clearly specified</u> in the Technical Bid
8	Agreement with all the terms & conditions	Must unconditionally agree with all the instructions, terms & conditions specified in the bidding documents & contract agreement	<u>Signature & company seal</u> on <u>every page</u> of the bidding document or declaration on firm's letter head.
9	Submission of Bidding Document Fee @ PRR	As required by the PPHI-B in the Tender Notice	<u>Receipt</u> of in-time payment of Bidding document fee in separate envelop along with technical proposal

NOTE: It is mandatory for the bidders to meet all the above-mentioned requirements of eligibility. In-case of not meeting any single requirement, the Bid shall be declared technically & disqualify.

PPHI-B is reserve the right to add or delate items in scope of work/data sheet subject to availability of funds

Bidding Instructions and General Conditions

1. Bid Submission Requirements

1. The bidder must quote for the entire scope of work specified in the tender. Partial bids shall be rejected.
2. All bids must be submitted in tape binding, properly sealed, and clearly labeled. Each page must be numbered, signed, and stamped by the authorized representative of the firm.
3. All documents shall be attached **in sequence as prescribed in the tender document** for evaluation purposes.
4. Any interlineations, erasures, or overwriting shall be valid only if initialed by the person(s) signing the bid.

2. Method and Deadline of Submission

1. Preferably, bids shall be submitted by hand through the firm's authorized representative on or before the date and time specified in the Letter of Invitation / Bid Data Sheet. However, bidders from other provinces may dispatch their bids via courier to the address mentioned below. Such bidders may also participate in the bid opening proceedings virtually through an online link, subject to prior intimation to the Procuring Officer. Physical presence of bidders or their representatives shall, however, remain preferred.
2. The bid shall comprise a single package containing two separate envelopes:
 - Technical Proposal
 - Financial Proposal
3. Each envelope shall be sealed and marked in bold letters as **"TECHNICAL PROPOSAL"** and **"FINANCIAL PROPOSAL."**
4. Both envelopes shall then be placed in an outer sealed envelope clearly marked with the Tender Reference Number and Subject.
5. Bids received after the specified deadline shall be rejected without opening.

3. Conditions for Opening and Validity

1. If the submission or opening date falls on a public holiday or non-working day, the bids shall be opened on the next working day at the same time and venue.
2. A bidder may **withdraw** its bid before the deadline for submission.
 - No withdrawal is permitted after the submission deadline until the expiry of the bid validity period.
 - Any withdrawal during the validity period may lead to legal action under applicable rules.

4. Eligibility of Bidders

1. "The invitation is open to all vehicle fabricators, manufacturers, authorized dealers, or service providers relevant to ambulance fabrication.
2. Bidders under **declaration of ineligibility, suspension, or blacklisting** by any government or public-sector organization are **not eligible** to participate.

5. Blacklisting and Debarment

The following actions shall render a bidder liable for blacklisting/debarment:

1. Submission of **false, fabricated, or forged documents.**
2. Failure to achieve required **quality standards** or **timely completion** of contractual obligations.
3. Persistent **non-compliance with contract terms** or **specifications.**
4. Engagement in **corrupt, fraudulent, or unethical practices.**
5. **Tender fixing** or any conduct detrimental to the integrity of the procurement process.
6. **Security concerns** or actions affecting the reputation of the Procuring Agency or the State.

6. Clarifications and Amendments

1. A prospective bidder may seek clarification(s) in writing no later than seven (07) days prior to the submission deadline at the Procuring Agency's address indicated in the Bid Data Sheet.
2. The Procuring Agency shall issue written responses (without disclosing the identity of the inquirer) to all bidders who have obtained the documents.
3. The Procuring Agency may, at any time before the submission deadline, amend the bidding documents through a written addendum.
4. Such amendments shall be notified through official correspondence (letter, email, fax) or publication on the official PPHI-B website.
5. To accommodate the amendment(s), the Procuring Agency may extend the bid submission deadline, if deemed necessary.

8. Corrupt or Fraudulent Practices and Mechanism for Debarment / Blacklisting

1. Definition of Corrupt and Fraudulent Practices

For the purpose of this tender, the following practices shall constitute corrupt, fraudulent, coercive, collusive, or obstructive behavior, which are strictly prohibited:

1. **Corrupt Practice:** Offering, giving, receiving, or soliciting directly or indirectly anything of value to influence the actions of a public official, procuring entity, or any party in the procurement process or contract execution for wrongful gain.
2. **Fraudulent Practice:** Any act, omission, or misrepresentation that knowingly or recklessly misleads or attempts to mislead another party to obtain undue advantage or avoid an obligation.
3. **Collusive Practice:** Any agreement or arrangement between two or more parties designed to establish bid prices at non-competitive, artificial levels to the detriment of fair competition.
4. **Coercive Practice:** Direct or indirect actions, threats, or harm to any party or its property to improperly influence their participation or decisions in the procurement process.
5. **Obstructive Practice:** Deliberate acts intended to impede investigation or audit processes, including falsifying or concealing evidence, making false statements, or intimidating witnesses.

9. Bid Price

1. **Price Indication:** The bidder shall clearly indicate on the prescribed bidding form the **unit rate per item** and the **total bid value** for the complete fabrication and conversion works of ambulances. The quoted rates shall be inclusive of all costs such as fabrication, conversion, materials, labour, testing, and delivery to consignee's end. No additional or hidden charges shall be acceptable after submission of the bid or during execution of the contract.
2. **Completion and Authentication:** The price schedule must be **filled carefully, preferably typed**. Any alteration or correction shall be **initialed** by the authorized person. Each page must be **signed and stamped** at the bottom.
3. **Compliance with Technical Specifications:** Prices shall be quoted strictly in accordance with the **technical specifications** provided in *Schedule of Requirements & Technical Specifications*. Any deviation or variation shall render the bid **non-responsive**.
4. **Inclusive Pricing:** All quoted prices must be **comprehensive and inclusive** of all applicable **taxes, duties, inland transportation, handling, and storage charges** up to the consignee's destination. If taxes are not specifically mentioned, the quoted prices shall be deemed **inclusive of all applicable taxes and duties**.
5. **Tax Exemptions:** Any exemption or reduction in taxes or duties available under law shall be passed on to the Procuring Agency.
6. **Total scope of work Requirement:** Prices must be quoted for the **entire scope of work** for each vehicle specified. **Partial or conditional offers** shall be considered **non-responsive** and rejected accordingly.

10. Bid Security.

The bidder shall submit 2% bid security of total estimated cost of complete scope of work as mentioned in Tender Documents (data sheet), in the form of Call Deposit Receipt (CDR) from any scheduled bank and shall be part of financial Bid envelop.

11. Bid Validity.

Bids shall remain valid for **30 days** from the date of opening of bid.

Bids shall remain valid for the period identified in the Bid Data Sheet after the date of opening of technical bid prescribed by the Procuring Agency. A bid valid for a shorter period shall be rejected by the Procuring Agency as non-responsive.

The Procuring Agency shall ordinarily be under an obligation to process and evaluate the bid within the stipulated bid validity period. However, under exceptional circumstances and for reason to be recorded in writing, if an extension is considered necessary, all those who have submitted their bids shall be asked to extend their respective bid validity period. Such extension shall be for not more than the period equal to the period of the original bid validity.

Bidders who:-

- (a) Agree to the Procuring Agency's request for extension of bid validity period shall not be permitted to change the substance of their bids; and
- (b) Do not agree to an extension of the bid validity period shall be allowed to withdraw their bids without forfeiture of their bid securities.

12. Delivery Schedule & Requirements:

- **Place of Delivery of Vehicles:** House no 8-A Jinnah Town, Quetta PPHI-B Head Office
- **Last Date & Time of Delivery:** Within 45 days

13. Other requirements:

1. Warranty Requirements

All items/components used in the fabrication of ambulances shall be covered under a minimum **one (01) year warranty** or as per the manufacturer's policy (whichever is longer), effective from the date of inspection and acceptance.

During the warranty period, any defective or malfunctioning item shall be repaired or replaced by the bidder free of cost within fifteen (15) days of notification by the procuring agency. The Defect Liability Period for this scope of work shall be thirty (30) days from the date of completion/handing over.

However, this Defect Liability Period shall apply only to those items not covered under manufacturer's warranty. Items covered under warranty shall be governed by their respective warranty terms provided by the bidder/manufacturer, and the bidder shall ensure full compliance with such warranty obligations. The **pickup and delivery** of defective items shall be the sole responsibility of the contractor/vendor.

2. On-Site Support at Quetta, Balochistan.

The contractor/vendor shall provide **on-site technical support at Quetta** for all installed equipment and fabricated components during the warranty period, ensuring uninterrupted functionality of the ambulance.

3. Completion Time

The bidder must clearly specify the **completion/delivery timeline** in the Technical Bid.

Completion time shall be construed as the total duration required for **fabrication, delivery, installation, and commissioning** of the ambulance at the designated location.

4. Presence of Authorized Representative

An **authorized technical representative** of the bidder shall be present at the time of delivery and

handover of the ambulance consignment at the designated location to ensure verification, and operational readiness.

5. **Delivery & Receiving Procedure**

The supplier/vendor shall deliver the fabricated ambulance(s) along with a **Delivery Challan** and obtain proper acknowledgment/receiving from the concerned authority of PPHI Balochistan at the designated location.

6. **Completion Report & Inspection**

The supplier/vendor shall submit a **Completion Report** along with the Delivery Challan for **inspection and verification** in accordance with the Supply Order.

7. **Defect Liability During Warranty Period**

Any fault, defect, or malfunction observed during the warranty period shall be the **sole responsibility of the supplier/vendor**, who shall ensure timely repair or replacement without any additional cost to PPHI.

Note:

All assessments and procuring procedures i.e. receiving, opening, awarding the contract, delivery and all terms & conditions of the contract etc. shall be governed by the PPHI-B Procurement Policies.

(MAILING ADDRESS: PPHI-B HEAD OFFICE HOUSE # 8-A, JINNAH TOWN, SAMUNGLI ROAD, QUETTA.)

DATA-SHEET OF THE ASSIGNMENT / SCOPE OF WORK

The objective of the below given Data-Sheet / Schedule of Requirements is to provide sufficient information to bidders to understand complete scope of this work such that no requirement of the Peoples Primary Healthcare Initiative (PPHI-B) is left un-mentioned here under.

It is mandatory for the bidders to meet the following given specifications. All offers meeting or exceeding the following minimum required specification shall be considered for further evaluations in accordance with the evaluation criteria.

SPECIFICATIONS FOR FABRICATION OF PATIENT TRANSFER SERVICE VEHICLE/ AMBULANCE

The Ambulances must be fabricated/ assembled by a professional fabricator with proper industrial set up having ISO 9001:2008/9001:2015 certification, experience and technical expertise as per international standards.

TECHNICAL PROPOSAL FOR FABRICATION OF 4x2 SINGLE CABIN PICKUP INTO AMBULANCE

Molded Fiberglass Canopy with Baked Paint

Specially designed for S/Cabin pickup, molded from F/G with sandwich construction having insulation between I/S and O/S, two rear windows with sliding tempered glasses on each side and two fixed windows at front on each side, and a rear-opening door with window, latest type rust proof “spring lid” mechanism imported “aluminum” handle lock with non-copy able serial keys set. Height of the canopy is 59 inches approx. Original deck of pickup must not be removed and should be used as base and canopy must be installed on original deck of pickup. Rear Door should have high quality chrome plate and a large glass. Both rear pillars of canopy should have red light covers, similar to Prado design. Special rust free heavy duty “molded aluminum hinges” for rear door containing nut bolt at each corner and powder coated in black color. Canopy should have chrome strips on both sides. The canopy must be sprayed and painted in imported dust free baking paint booth using 2 Component paint for ensuring longevity of paint of canopy. Rubbers and flocking used in canopy shall be top quality OEM from reputable international company.

Oxygen Supply System

To accommodate two 2 cylinders 10 liter each would have double steel bracket with rubber padding. This section can also be independent from main cabinet would be fitted on MS pipe double cylinder stand.

Aluminum Stretcher with Head-Raise Section

Install high quality auto/self-loading type Stretcher made of high grade aluminum alloy frame with minimum 6 wheels. The stretcher has adjustable raise section using latest Lever Operated Spring mechanism. The stretcher legs collapse/bends automatically with manual pulling of 2 handles. The mattress is 2” thick with best quality foam, furnished with best quality washable orange leatherette, with two safety belts and two side guards. Approx. size is 6' x 1' 9" (L x W) with 3' Ht. in standing position and 1' Ht. in collapsible position. Locking system for stretcher at front and rear center and S.S. sheet on the floor under the stretcher. It's equipped with IV rod.

Outside Design

ECG design printed stickers on sides and words Ambulance on front and rear sides, Hospital or Project Name on right & left sides made from imported stickers. Semitransparent film pasted on ¾ side glasses of patient compartment.

Flooring

Made of water and termite proof half inch thick imported MDF. The floor would be carpeted with flexible, non-slip, non-staining, and water proof and washable special Vinyl covering at- least 2mm thick in a single

piece flooring. All side gaps would be sealed with silicon.

Rear Cabin Ceiling

Beige colored artificial leatherette for ceiling and sides stitched with Juki machines.

Side Utility Panel

Made of molded FRP material on the right side. Having dedicated O2 system having outlets for O2 system, O2 cylinder changeover system. It would also contain electrical system, having switches and sockets for 12 V/220 V.

ABS Examination Light

One all direction moveable (stainless steel neck) special examination light that has its own handle that contains on-off button within and new technology ultra-bright flash light. The light shall be specially molded for ambulance purpose. The Light shall be Octagon or Hexagonal shaped for better grip.

External & Internal lights & Warning Devices

Customized design molded flasher type emergency lighting system (in 2 parts), installed within front spoiler. There should also be a PA System with siren/hooter of 100-watt output.

Three to Four Persons Bench (Painted in Imported Baking Paint Booth)

Made of 3" special foam as used in automobile seats with approximate 15" width, made over a storage box open-able upwards. Heat sealed seat cover of best quality artificial leather, seat belts and cushioned back. One side bar made of 1" SS pipe if space available

External AC 220V Power connector

An external AC Power connector must be provided for getting external source like Generator or Power supply etc. in case of emergency.

Air Condition

Dual A/C Unit for patient and driver cabin, Original Compressor with rear Formula Blower Unit.

Side Cabinet (Painted Baking Paint Booth)

Side cabinet made of high quality non-staining scratch resistant, rust proof, water proof fiber glass material. At the left front corner of the rear cabin. All front doors & drawers having double side finished with self-retaining recessed handles. Cabinet having following sections;

- **Drawers Section** – Having 2-3 drawers. All drawers made of molded ABS material. All drawers having special self-closing & self-retaining catcher handle lock system which is not self-open-able during emergency driving.

Aneroid Sphygmomanometer

High quality Wall mounted large dial type 6" with Adult Cuff and one stethoscope.

Airway Management Items

Ambo Bag having special valves which should limit the excessive flow of gas into the patient

Additional Items

Syringe Cutter – Best Quality syringe cutter

I.V Hooks – Hooks for intravenous infusion set will be placed.

Fire Extinguishers – 2 Kg Dry Chemical Powder type fixed with bracket to the sidewall.

Trash Box Imported steel with 5-8 liters' capacity, attached to the floor and with plastic removable and washable inner lining.

Color Matching of Front Bumper.

Original front bumper of vehicle to be sprayed and painted in dust free imported baking paint booth in same color code as of vehicle.

Trauma First Aid Box

One trauma first aid bag made of strong water resistant PVC coated washable red parachute cloth with yellow reflective strips with appropriate placement for and including essential items: All consumable items must be from a fresh batch with minimum remaining 60-70% shelf life at the time of delivery

- Wooden splints 01

- Crepe Bandage 01
- N/Saline 0.9% (01)
- Pyodine Solution 01
- Dressing Scissor 01
- Cicatrin powder 01
- Sticking 1 (02)
- Saniplast 01 pack
- Dressing Forceps 02
- Hemostatic Gauze 01 pack
- Adhesive sterilized dressing 01 pack 10x 10cm
- Surgical tape 1/2" 01
- Kidney Tray stainless steel (01) complete set
- Disposable gloves 1 box med size
- Sterilized disposable gloves.

TECHNICAL PROPOSAL FOR FABRICATION OF STD-ROOF Hiace VAN INTO AMBULANCE

Main Auto-Loader Stretcher with Head-Raise Section (CE-Certified)

High quality imported auto/self-loading type Stretcher made of high grade aluminum alloy frame with minimum 6 wheels. The stretcher has adjustable raise section using latest Lever Operated Spring mechanism. The stretcher legs collapse/bends automatically with manual pulling of 2 handles. The mattress is 2" thick with best quality foam, upholstered with best quality washable orange leatherette, with two safety belts and two side guards. Approx. size is 6' x 1' 9" (L x W) with 3' Ht. in standing position and 1' Ht. in collapsible position. Locking system for stretcher at front and rear center and S.S. sheet on the floor under the stretcher. It's equipped with IV rod **(Imported)**

Folding Paramedic Seat

One Folding type paramedic seat near would be provided at the right front of the vehicle (patient compartment) near the head of stretcher.

Oxygen Supply System with Multi Directional Changeover

Brand new imported oxygen cylinders of approximately 10 liters capacity duly tested and filled by approved company, with imported changeover system and oxygen supply hose made of reinforced plastics to retain its flexibility in cold & un-crack able in heat with brass sockets and connectors. The pressure regulator of cylinders would be imported. Oxygen would be delivered through two British Standard outlets on the panel and one flow meter.

Flooring

Made of water and termite resistant half inch thick MDF. The floor would be carpeted with flexible, slip resistant, non-staining, and water proof washable special Vinyl covering at-least 2mm thick in a single piece flooring. The flooring would be made to order and designed specifically for Ambulances. All side gaps would be sealed with silicon. A stainless steel 16SWG sheet on the floor under the stretcher area.

Partition Wall with Sliding Window

Partition wall between the driver and patient compartment fixed with SS brackets to side walls. A small sliding window in aluminum frame would be given between the driver and patient compartment.

Side Utility Panel

Made of molded FRP material on the right side. Having dedicated O2 system containing imported BS outlets for O2 system, O2 cylinder changeover system. It would also contain electrical system, having switches/sockets for 12 V & 220 V.

ABS Examination Light

One all direction moveable (flexible steel neck) special examination light that has its own handle that contains on-off button within and new technology ultra-bright flash light. The light shall be specially molded for ambulance purpose. The Light shall be Octagon or Hexagonal shaped for better grip.

External & Internal lights & Warning Devices

Customized design molded flasher type emergency lighting system (in 2 parts), installed within front spoiler. There should also be a PA System with siren/hooter of 100-watt output.

Three to Four Persons Bench (Painted in Imported Baking Paint Booth)

Made of 3" special polyurethane foam as used in automobile seats with approximate 16" width, made over a storage box open-able in two parts. Heat sealed seat cover of best quality artificial leather, seat belts and cushioned back.

Cabinet for equipment (Painted in Imported Baking Paint Booth)

Made of complete F/G/MDF material on front side of vehicle, one top shelf to accommodate equipment emergency bag if any search light lower shelf having capacity to accommodate suction unit.

External AC 220 power connector

An external ac 220 ac power must be provided for getting external source like generator or power supply etc in case of emergency.

Medical Cabinet (Painted in Imported Baking Paint Booth)

Medical cabinet made of high quality non-staining scratch resistant, rust proof, water proof fiber glass/ ABS material. All front doors & drawers having double side finished with self-retaining recessed handles. All doors having self-closable surface hinges. Cabinet shall have minimum 3 sections and shall be fitted in front of the rear cabin;

- **Oxygen Section** –
 - To accommodate two M.F size O2 cylinders, would have double steel brackets with rubber padding. An internal light with a door switch.
- **Molded ABS Material Wash Basin (Non FG)**
 - Integrated with water tap and 10 liters water reservoir with electric water pump and electric switch for tap.
- **Drawers Section** – Having 3 to 4 drawers. All drawers made of molded FG material. All drawers having special self-closing & self-retaining catcher handle system made from plastic and that is not self-open-able during rush driving.

Aneroid Sphygmomanometer (Imported)

Top quality Wall mounted large dial type 6” with Adult Cuff and one stethoscope.

Spoilers for Flashers

Specially designed aerodynamic molded spoilers on both sides containing combination of imported Red & Blue EEC Flashers and Flood/Search Lights. The red and blue strips between the flashing lights should also have LED's and similar to the square LED lights on its sides.

Color Matching of Front & Rear Bumpers

Both original bumpers of vehicle to be sprayed and painted in dust free imported baking paint booth in same color code as of vehicle. A stainless steel sheet to be fixed over it to reduce the damage to bumper with impact of stretcher when loading and unloading

Exterior Artwork Design Using 2K Baking Paint

High quality 2K metallic paint in blue color to be used for rear pattern of artwork. This will be painted in imported paint booth. Remaining front portion to be pasted with "printed" ECG design. Word 'Ambulance' on front, rear and both sides, printed Red Crescent sign on right & left windows and "Designated Hospital or Institution Name" must be placed on both sides. 2/3rd of Window Glasses of patient compartment to be covered with high quality colorless, translucent imported frosted paper sticker.

Trauma First Aid Box/Bag

One trauma first aid box/bag made of strong water resistant material including the following items:

- Crepe Bandage (4"=01 6"=01)
- N/Saline 0.9% (01)
- Pyodine Solution (01)
- Dressing Scissor (01)
- Cicatrin Powder (01)
- Sterilized Gauze Pad 10x10 (01 pack)
- Sticking 1" (02)
- Antiseptic wipes 01 box.
- Saniplast (01 Pack)
- Dressing Forceps (02)
- Homeostatic Gauze (01 Pack)
- Adhesive sterilized dressing 10x10 cm (01 Pack)
- Crepe Bandage 4" (02)
- Surgical tape 1/2" (01)
- Antiseptic Hand Sterilizer (01)

Airway Management Box/Bag

Airway Management Box made of strong water resistant PVC/ABS material including following

items:

- Ambo Bag having special valves which should limit the excessive flow of gas into the patient airway significantly reducing the risk of gastric insufflations by effectively lowering the airway pressure generated. (imported)
- Color coded airways of assorted sizes (1set)
- Mouth opener
- Sterilized disposable gloves

Syringe Cutter

Best Quality syringe cutter

Manual suction apparatus

Manual suction apparatus (hand or foot operated)

Fire Extinguisher

2Kg Dry Chemical Powder type fixed with bracket to the side-wall.

BIDDER'S INFORMATION: (To be filled-in by the Bidder)

1. Name of company/Individual: _____

2. Complete Postal Address: _____

3. Tel No: _____ 4. Email address: _____

5. Fax No: _____ 6. Mobile No: _____

7. Authorized Representative's name & designation:

8. Type of Business:
(1) Sole Proprietorship (2) Partnership
(3) Corporation (Private Ltd.) (4) Corporation (Public Ltd.)
9. National Tax Number & Date of issuance: _____
10. Sales Tax Registration No. _____

11. Bid Validity _____ (Please specify in no. of days)

12. Total Completion Time _____ (In Days, Months please specify)

INSTRUCTIONS FOR PREPARING TECHNICAL BID

These Instructions are being given for strict compliance by the Bidders. **Failure to fulfill any instruction given here-under may result in dis-qualification of the Bid/s.**

Proposals shall be prepared on following lines: -

1. Sealed Envelope containing the Technical Proposal should clearly state:
 - a. "Name of Bidder"
 - b. "Name of Tender"
 - c. "TECHNICAL PROPOSAL"
2. The portion of Technical Proposal of this bidding document duly filled, supported with Bidder's covering Letter and the technical Bid on Bidders Letter Head be attached as the Technical Proposal.

3. Technical Proposal shall be prepared keeping in view the specifications provided in the Data Sheet and the schedule of requirements or otherwise as placed demand further during the bidding process.
4. Following information should be attached/contained in the Technical Proposal: -
 - a. Receipt of payment of **Bidding Document Fee** May be in terms of **Pay Order in favor of PPHI BALOCHISTAN**
 - b. **Completion time/Delivery time**, which means; actual execution time for the titled Work.
 - c. Documentary **evidence of fulfillment of eligibility criteria** for Bidders as required by the Peoples Primary Healthcare Initiative, Balochistan. (PPHI-B).
 - d. Documentary evidence of **fulfillment of complete schedule of requirements as per evaluation criteria** including technical, administrative and service requirements of the Peoples Primary Healthcare Initiative, Balochistan (PPHI-B)
 - e. **Description of status** as Partnership / authorization from the Firm / authorized importer / distributor / manufacturer / retailer etc. (as the case may be) as required by the Peoples Primary Healthcare Initiative, Balochistan (PPHI-B) in the schedule of requirements.
 - f. Every page of the **Bid must be numbered, signed & stamped** by the authorized representative.
5. Attachment of any document not demanded by the Peoples Primary Healthcare Initiative (PPHI-B) at instruction 4 of “Instruction for preparation of Technical Bid” is strictly prohibited.
6. **Evaluation Criteria:** Selection of the successful bidder shall be based on the **Single Stage-Two Envelop Method**

The procedure shall be applied as follows: -

1. **Bidders Eligibility Assessment.** Initial evaluation of the technical proposals shall be carried-out by the **PROCUREMENT COMMITTEE**, as per the requirements of the eligibility criteria laid down under the heading of “Letter of Invitation for Bids – Eligibility Criteria.

Check list

Bidders Eligibility Factor	Documents Required	Bidder 1	Bidder 2	Bidder 3
		YES / NO	YES / NO	YES / NO
Legal Status & Tax Registration	Copies of valid NTN Certificate, GST/BRA Registration Certificates and Active Taxpayer Profile, verifiable from FBR IRIS / official FBR & BRA websites			
Relevant Experience	Work Orders, Completion Certificates and/or Inspection Reports showing scope, value and completion period			
Financial Capacity	Audited Financial Statements OR Income Tax Returns for FY 2023, 2024 & 2025			
Non-Blacklisting	Declaration on Non-Judicial Stamp Paper			
Local Presence	Tenancy Agreement/Ownership Documents and latest utility bill (not older than 3 months)			
Warranty & After-Sales	Warranty and After-Sales Service Certificates			

Delivery/Completion Time	Commitment in Technical Bid clearly mentioning delivery/completion time			
Terms & Conditions Compliance	Signed & stamped bidding documents on each page			
Tender Fee Submission	Tender/Bid Document Fee receipt (in separate sealed envelope)			

2. for Bidders” in the following manner:

- i. Firm must score “YES” in all requirements of the eligibility criteria to be categorized as Eligible. “NO” to any requirement of the eligibility criteria, by any bidder shall render the Firm as Ineligible.
- ii. Subsequent upon said assessment, Bidders shall be categorized as:
 - 1. Eligible Bidders
 - 2. Ineligible Bidders

3. **Return of Financial Proposals from Ineligible Bidders.** Proposals from Ineligible Bidders shall be declared “Non-Responsive”, consequently shall **NOT** be accepted for any further evaluation:

- i. Their Financial Proposals shall be returned without being opened.
- ii. Their Bid security shall be returned with financial bid.



The Head Office,
People's Primary Healthcare Initiative, Balochistan.
Admin Section
Reference No. PPHI-B/H.O BLN/2026/10/Fabrication/002
Dated: _____

Financial Proposal

People's Primary Healthcare Initiative Balochistan

**Bidding Document for the Fabrication and Conversion of the following
Ambulances STD-ROOF Hiace Van (Unit-1) and 4x2 Single Cabin Pickup
(Unit-4), Model 2025 into Ambulances**

NAME OF BIDDER: _____
(To be filled-in by the Bidder)

Address: Peoples Primary Healthcare Initiative (PPHI) Balochistan
House # 8-A, Jinnah Town Samungli Road, Quetta-Pakistan.

Phone: 081-2863620

Website: www.pphib.org

1. Name of company: _____
2. Complete Postal Address: _____

3. Tel No: _____ 4. Email address: _____
5. Fax No: _____
6. Mobile No: _____
7. Authorized Representative's name & designation: _____
8. Type of Business:
- (1) Sole Proprietorship (2) Partnership
- (3) Corporation (Private Ltd.) (4) Corporation (Public Ltd)
9. National Tax Number & Date of issuance: _____
10. Sales Tax Registration No. / BRA Registration No. _____
11. BTSN No. _____
12. Bid Validity: _____ (Please specify in No. of Days)
13. Total Bid Value: _____ (In Pakistani Rupees)

INSTRUCTIONS FOR PREPARING FINANCIAL PROPOSAL

These Instructions are being given for strict compliance by the Bidders. **Failure to fulfill any instruction given here-under may result in disqualification of the Bid/s.**

Financial Proposals shall be prepared on following lines: -

1. Sealed Envelope containing the Financial Proposal should clearly state:
 - a. **"Name of Bidder"**
 - b. **"Name of Tender"**
 - c. **"Financial Proposal"**
2. The portion of Financial Proposal of this bidding document duly filled, supported with Bidder's covering Letter be attached as the Financial Proposal of the bidder
3. Following information should be attached/contained in the financial proposal: -
 - a. Original Bid Security (If required by the Peoples Primary Health Initiative (PPHI-B))
 - b. Taxes must be included along-with the price of each item
 - c. Financial Bid shall be prepared on the Bidders Letter Head in the following format:

A	B	C	D	E
FABRICATION OF 4x2 SINGLE CABIN PICKUP INTO AMBULANCE				
S. No.	Item Name	Quantity	Unit Price (Including All Applicable Taxes & Costs)	Unit Total Price (Including All Cost)
A	B	C	D	(C x D) = E
1	Molded Fiberglass Canopy with Baked Paint (as per specification given above)			
2	Oxygen Supply System (as per specification given above)			
3	Imported Aluminum Stretcher with Head-Raise Section (as per specification given above)			
4	Outside Design (as per specification given above)			
5	Flooring (as per specification given above)			
6	Rear Cabin Ceiling (as per specification given above)			
7	Side Utility Panel (as per specification given above)			
8	ABS Examination Light (as per specification given above)			
9	External & Internal lights & Warning Devices (as per specification given above)			
10	Three to Four Persons Bench (Painted in Imported Baking Paint Booth) (as per specification given above)			
11	External AC 220V Power connector (as per specification given above)			

12	Air Condition			
13	Side Cabinet (Painted in Imported Baking Paint Booth) (as per specification given above)			
14	Aneroid Sphygmomanometer (Imported) (as per specification given above)			
15	Trauma First Aid Box (as per specification given above)			
16	Airway Management items (as per specification given above)			
17	Additional items (as per specification given above)			
18	Color Matching of Front Bumper. (as per specification given above)			
Total (Including all applicable taxes)				

A	B	C	D	E
FABRICATION OF STD-ROOF HIACE VAN INTO AMBULANCE				
S. No.	Item Name	Quantity	Unit Price (Including All Applicable Taxes & Costs)	Unit Total Price (Including All Cost)
A	B	C	D	(C x D) = E
1	Main Auto-Loader Stretcher with Head-Raise Section (CE-Certified) (as per specification given above)			
2	Folding Paramedic Seat (as per specification given above)			
3	Oxygen Supply System with Multi Directional Changeover (as per specification given above)			
4	Flooring (as per specification given above)			
5	Partition Wall with Sliding Window (as per specification given above)			
6	Side Utility Panel (as per specification given above)			
7	ABS Examination Light (as per specification given above)			
8	External & Internal lights & Warning Devices (as per specification given above)			
9	Three to Four Persons Bench (Painted in Imported Baking Paint Booth) (as per specification given above)			
10	Cabinet for Equipment (Painted in Imported Baking Paint Booth) (Painted in Imported Baking Paint Booth) (as per specification given above)			
11	External AC 220V Power connector (as per specification given above)			
12	Medical Cabinet (Painted in Imported Baking Paint Booth) (Painted in Imported Baking Paint Booth) (as per specification given above)			
13	Aneroid Sphygmomanometer (as per specification given above) (Imported)			
14	Spoilers for Flashers (as per specification given above)			
15	Color Matching of Front & Rear Bumpers (as per specification given above)			
16	Exterior Artwork Design Using 2K Baking Paint (as per specification given above)			
17	Trauma First Aid Box/Bag (as per specification given above)			
18	Airway Management Box/Bag (as per specification given above)			
19	Syringe Cutter (as per specification given above)			

20	Manual suction apparatus (as per specification given above)			
21	Fire Extinguisher (as per specification given above)			
Total (Including all applicable taxes)				

NOTE: It is mandatory for the bidders to meet all the requirements of eligibility. In-case of not meeting any single requirement, the Bid shall be declared NON-RESPONSIVE.

Financial Evaluation. Financial Proposals of the Responsive Technical Proposals shall be publicly opened in the next meeting as specified in this document under the heading of “Letter of Invitation for Bid” Financial Comparative Statement / Evaluation Report of the “Responsive Proposals” shall be prepared by the **PROCUREMENT COMMITTEE** in the following manner:

Item/s Name / Model & description	Quantity	Responsive Bidder 1	Responsive Bidder 2	Responsive Bidder 3
		Unit Price	Unit Price	Unit Price
Item 1				
Item 2				
Item 3				

- i. Subsequently, the prepared Financial Evaluation Report shall duly be signed by all the members of the Procurement Committee.
- ii. Comparatives of Financial will be prepared and signed by the procurement Committee in detail
- iii. If there is any discrepancy in tender documents clause and Work Order Clause, the work order Clause will always govern.
- iv. If there is any discrepancy between amount in words and amount in figures, the amount in words will always govern

Recommendation of Procurement Committee

After Technical Qualification, the contract will be awarded to the “Lowest Financially Evaluated bidder” or with maximum quoted discount offered.

4. Offer must be quoted on TCA (Total Cost of Acquisition) basis at the risk & cost of the bidder. This means:
 - i. ALL costs (including duties, taxes & other Govt. payables) incurred up-to delivery at the designated location of the Peoples Primary Health Initiative (PPHI-B)
 - ii. Complete services as required in the schedule of requirements of this bidding document
 - iii. Cost including Transportation, fixation, assembling, dismantling etc. (As & where applicable)
5. GST/BRA Taxes must be included along-with the price of each item/components/service
6. In-case of any Tax exemptions, exemption certificate from the concerned Tax Office / Regional Tax Office pertaining particularly to this case may be provided; otherwise, taxes shall be deducted as per Government Policy / Rules
7. Every page of the Bid must be numbered, signed & stamped by the authorized representative.

TERMS AND CONDITIONS:

1. Completion time may be clearly specified. Where completion time shall mean; time consumed execution of required services to the designated location of Peoples Primary Health Initiative (PPHI-B),

including but not limited to time required for development of Performa/forms and training (if needed)
(Complete delivery as per the schedule of requirements services detailed in the Data-Sheet)

2. Maximum completion time for the assignment is **45 Days** from the date of work Order
3. Tenders must be quoted in Pakistani Rupees (PKR).
4. Tax Liability:
 - i. Complete Tax liability is to be borne by the Vendor/individual as per the applicable rate of tax authority.
 - ii. Quoted prices shall be **inclusive of all applicable Taxes with maintaining of %age of GST/BRA.**
 - iii. In-case of any Tax exemptions, exemption certificate from the concerned Tax Office / Regional Tax Office pertaining particularly to this case may be provided; otherwise, taxes shall be deducted as per Government Policy / Rules.
 - iv. All tax variations by the Tax Authorities will be borne by the vendor only, there will be no change in contract.
5. Validity of the bid would be at-least 30 days (to be specified by the Peoples Primary Health Initiative (PPHI-B)/ office) from the date of Tender opening
6. Financial Bids must be accompanied with Bid Security (for firms) in the form of Bank Guarantee or Deposit at Call from a scheduled bank @ 2% of quoted bid value favoring the PPHI Balochistan.
7. In case of late execution of required works, the bidder may be blacklisted and late delivery penalty (Liquidated Damages) shall be imposed at the rate of 0.05% per day (of the value of scope of work delivered late) per day, up to a maximum of 10% of the Contract Value.
8. Bid Security of successful bidder/s shall be released upon their written request after the complete delivery of fabrications of ambulance to places as mentioned in delivery schedule.
9. Bid Security of unsuccessful bidder/s shall be released within thirty days from the date of award of contract to the successful bidder/s.
10. Tender will be awarded to the lowest financially evaluated bidder.
11. Seventy percent (70%) of the contract value shall be released as advance payment after issuance of the Work/Supply Order, subject to submission of an equivalent amount Performance Guarantee in the form of Bank Guarantee/CDR from a scheduled bank, valid till completion of the contract.
12. The remaining thirty percent (30%) shall be released upon successful completion, delivery, inspection, and acceptance of the works, in accordance with the terms and conditions of the contract.

CURRENCY & BID VALIDITY

- **Pak Rupees & 30 days**

DECLARATION BY THE BIDDER

I solemnly undertake that:

- a. Having read, understood & made myself aware of all the Terms & conditions mentioned in this Bidding Document & the Rules, Regulations & Policies of the Government of Balochistan, governing the procurement & financial matters, **AGREE, ACCEPT & UNDETAKE TO ABIDE BY THE SAME.**
- b. The information provided in this form is correct to the best of my knowledge & in the event of change; details will be provided as soon as possible

Name & Designation _____

Signature _____ Date _____

Company Stamp. _____

